

SPECIFICATION SHEET

Building 18' x 46'
Roof Style Select One
Porch N/A
Floor: _____

Skids: Double Skids
 Insulation: R-19 Fiberglass w/ Polyethylene Vapor Barrier
 Joists: 2" x 8" on 16" Center
 Decking: 3/4" Subfloor
Floor Covering:
 1/8" Tile: **Vinyl:** _____
 26oz. Carpet: None

Exterior:
 Walls: 8' Walls
 Studs: 2" x 4" x 91.5" on 16" Center
 Bottom Plate: 2" x 4"
 Top Plate: Double 2" x 4"
 Sheathing: 7/16" OSB w/ Building Wrap
 Insulation: R-15 Fiberglass
 Siding: 29 ga. _____
 Window Trim: 29 ga. _____

Interior:
 Studs: 2" x 4" x 91.5" on 16" Center
 Covering: Paneling: _____
 Cabinets: Color: _____
 Trim: All Cedar
 Counter Top: Formica (Sandy Topaz)
 Closets: 1 rod and shelf
 Pantry: 1 cedar shelves
 Misc.: Mirror In Bathroom

Roof:
 Truss: Engineered on 24" Center
 Ceiling: **Galvalume Metal**
 Insulation: R-19 Fiberglass
 Decking: Radiant 7/16" OSB w/ Felt Paper
 Roofing: 26ga. _____
 Rake Trim: 26ga. _____
 Anchor Straps: **5** Over Roof

Doors:
 Exterior Door: 2 36"x80" Fiberglass Out-Swing
 Door Insert: star (std.)
 Door Color: _____
 Interior Door: 2 32" Stain Grade
 2 36" Bifold Stain Grade
 2 36" Dbl. Louvered Stain Grade

Windows:
 Window: 1 72"x 66" Insulated
 5 60"x 54" Insulated
 1 36"x36" Insulated
 Window Color: _____
 Shutter Color: _____

Electrical:
 Load Center: 1 200 Amp Exterior Panel
 Wiring: #12 Romex
 Receptacles: 14 15 amp. Brown
 GFI Receptacles: 5 GFI Interior 2 Exterior GFI
 Lighting: 2 Ceiling Fan 2 Porch
 6 Disk LED
 2 Galvanized
 Misc.: 2 Smoke Detector
 Exhaust Fans: 1 110 CFM Exhaust Fan

Plumbing:
 Bathroom: 1 Tub/Shower
 Water Closets: Elongated
 Lavatory: Porcelain Sink
 Water Heater: Inline Heater
 Faucet Type: Residential Brass Body
 Sink: Stainless Double Bowl
 DWV: All drain lines are stubbed thru floor

HVAC:
 A/C - Heating: 1 Residential 2 Ton Unit

Appliances:
 18 cu.ft. Refrigerator 1 Stainless
 Full Size Range 1 Stainless
 Microwave w/ vent 1 Stainless
 Dishwasher 1 Stainless
 Washer/Dryer 1 White

General Shelters of Texas

Model: Blue Water 828 sq.ft.
Customer: _____
Approval: _____
Date: _____



bus: 936-598-3389
fax: 936-598-7717
www: generalshelters.com